# **MATERIAL SAFETY DATA SHEET**

## **SECTION I**

DATE OF PREPARATION June 2011

#### PRODUCT NAME: PRODUCT CLASS: PRODUCT TYPE: D.O.T. CATEGORY: ADDRESS:

# **ICO Floor Liner**

Epoxy Resin Part A 4.4-Isopropylidenediphenol Epichlorohydrin Resin Chemical, NOIBN International Coatings Div. of Milamar Coatings, L.L.C.

311 N.W. 122<sup>nd</sup> St. Ste. 100 Oklahoma City, OK 73114 405-755-8448 CHEM TEL 800-255-3924

TELEPHONE: EMERGENCY:

### **SECTION II - HAZARDOUS INGREDIENTS**

Listed below are the hazardous component(s) as defined in 49 CFR 172 and 29 CFR 1910 which are present in this product and all components which appear on the hazardous substance list of any state:

NONE

## **SECTION III - PHYSICAL DATA**

PHYSICAL STATE: SPECIFIC GRAVITY: DENSITY: PERCENT VOLATILES: Moderate viscosity, amber liquid 1.16 at 77°F 9.7 lbs/gal 0 at 70°F

### **SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

**FLASH POINT:** 200°F (Pensky Martens Closed Cup) **EXTINGUISHING DATA:** Foam, Dry chemical, Carbon Dioxide (CO<sub>2</sub>) **NOTE:** Toxic fumes will be evolved when this material is involved in a fire. Self-contained breathing apparatus should be available for fire fighters. Cool fire-exposed containers with water.

### **SECTION V - HEALTH HAZARD DATA**

EFFECTS OF OVEREXPOSURE: ACUTE:

**CHRONIC:** 

High concentrations of vapor cause irritation of eyes and respiratory tract. May cause burns to skin and eyes. Liquid causes damage to mucous membrane if swallowed. Prolonged or repeated exposure may cause asthma and skin sensitization or other allergic response.

EMERGENCY AND FIRST AID PROCEDURES:			
EYES:	Flush with water for at least 15 minutes, holding eyelids open. GET MEDICAL ATTENTION		
SKIN:	Wash thoroughly with water while removing contaminated clothing and shoes. Wash clothing before re-use and discard contaminated leather articles. <b>GET MEDICAL ATTENTION</b> if effects such as swelling or reddening occur.		
INHALATION:	Remove to fresh air if effects occur and administer oxygen if necessary. <b>GET MEDICAL ATTENTION</b> if effects persist.		
INGESTION:	<b>GET MEDICAL ATTENTION IMMEDIATELY Do not</b> induce vomiting unless directed by physician.		

# **SECTION VI - REACTIVITY DATA**

STABILITY: Stable under normal storage conditions.

**INCOMPATIBILITY:** Avoid bringing into contact with strong oxidizing agents, and strong Lewis or Mineral acids

#### HAZARDOUS DECOMPOSITION PRODUCTS:

CO (Carbon Monoxide)

CO<sub>2</sub> (Carbon Monoxide)

Acids

Aldehydes

#### **SECTION VII - SPILL OR LEAK PROCEDURE**

**IF MATERIAL IS SPILLED:** Avoid contact with material. Persons not wearing appropriate protective equipment (see below) should be excluded from the area of spill until clean-up is complete. Stop spill at source, dike area to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up on clay, diatomaceous earth or other absorbent and shoveled into disposal containers.

**WASTE DISPOSAL METHOD:** This product, if disposed as shipped, is not a hazardous waste as specified on 40CFR261. Controlled incineration or buried landfill disposal should be in accordance with all Federal, State, and Local regulations.

### **SECTION VIII - SPECIAL PROTECTION INFORMATION**

**RESPIRATORY PROTECTION:** NIOSH approved respiratory protection required in the absence of proper environmental control. For emergencies, a self-contained breathing apparatus, or a full-face respirator is recommended.

**VENTILATION:** Local, except in confined space, e.g., tanks, in which case proper respiratory protection (see above) is required.

HAND PROTECTION: Impervious gloves, neoprene or rubber.

**EYE PROTECTION:** Splash proof goggles or safety spectacles with side shields.

**OTHER PROTECTIVE EQUIPMENT:**Clean, body-covering clothing. Further safety equipment (apron, footwear, etc.) should be used as necessary to prevent contact with material.

## **SECTION IX - SPECIAL PRECAUTIONS**

**1**. Prevent all skin and eye contact.

2. Avoid breathing vapors.

- 3. Re-seal part used containers.
- 4. Ensure that **all** containers are properly labeled to prevent accidental ingestion.
- 5. Wash with soap and water before eating, drinking, smoking or using toilet facilities.
- 6. Observe conditions of good industrial hygiene and safe working practice.

THE INFORMATION HEREIN RELATES TO THE PRODUCT NAMED AND IS BASED UPON INFORMATION INTERNATIONAL COATINGS CONSIDERS TO BE ACCURATE. NO WARRANTY EXPRESSED OR IMPLIED IS INTENDED.

# **MATERIAL SAFETY DATA SHEET**

# **SECTION I**

DATE OF PREPERATION June 2011

PRODUCT NAME:	ICO Floo	<b>r</b> Liner	June 2011	
PRODUCT CLASS:	Epoxy Resin H	lardener, Part I	3	
PRODUCT TYPE:	Modified amines			
D.O.T. CATEGORY:	UN 1760 Corrosive liquid, N.O.S. (Amine Mixture) 8 PG III			
ADDRESS:	Internatio	nal Coating	5	
		ar Coatings, L.L		
		2 <sup>nd</sup> St. Ste. 10		
	Oklahoma Cit	y, OK 73114		
TELEPHONE:	405-755-844	8		
EMERGENCY:	CHEM TEL 80	0-255-3924		
SECTION II - HAZARDOUS INGREDIENTS				
NFPA Hazard Ratings -	Health 2, Flammability	1, Reactivity		
Ingredients		Content	Exposure Limit	
Modified Polyamines	Proprietary	55%	None Assigned	
Nonylphenol	84852-15-3	15%	None assigned	
Aminoethylpiperazine	140-31-8	10%	None assigned	
Benzyl Alcohol	100-51-6	25%	None assigned	
	SECTION	N III - PHYSIC	AL DATA	
PHYSICAL STATE:	Low	Viscosity, ambe	er color	
SPECIFIC GRAVITY:	<b>1</b> .0 a	t 77ºF		
DENSITY:	8.5 ll	os/gal at 77º F		
ODOR:	Amin	-		
VAPOR PRESSURE:		than 1 mm Hg	@ 68°F	
PERCENT VOLATILES:	0 AT :	70°F		
	SECTION IV - FIRE	AND EXPLOS	SION HAZARD DATA	
FLASH POINT:		AND EXPLOS		
LFL:		)°F (Setaflash C		
LFL: UFL:	>200 No da No da	)⁰F (Setaflash C ata ata	Closed Cup)	
LFL: UFL: EXTINGUISHING MEDIA:	>200 No da No da Wate	0°F (Setaflash C ata ata er fog, Alcohol F	Closed Cup)	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING	>200 No da No da Wate <b>PROCEDURES:</b> Use a p	0°F (Setaflash C ata ata er fog, Alcohol F	Closed Cup)	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa	>200 No da No da Wate <b>PROCEDURES:</b> Use a p ting.	0°F (Setaflash C ata ata er fog, Alcohol F ositive pressure	Closed Cup) Foam, CO2, Dry Chemical e, self-contained breathing apparatus.	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING	>200 No da No da Wate <b>PROCEDURES:</b> Use a p ting.	0°F (Setaflash C ata ata er fog, Alcohol F ositive pressure	Closed Cup) Foam, CO2, Dry Chemical e, self-contained breathing apparatus.	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig	>200 No da No da Wate F <b>PROCEDURES:</b> Use a p ting. (ht conditions of heat an SECTION V	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - <b>HEALTH HA</b>	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. Ny. NZARD DATA	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU	>200 No da No da B <b>PROCEDURES:</b> Use a p ting. tht conditions of heat an <u>SECTION V</u> <b>RE LEVELS:</b> NON	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. Ny. NZARD DATA	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPO	>200 No da No da B <b>PROCEDURES:</b> Use a p ting. tht conditions of heat an <u>SECTION V</u> RE LEVELS: NON DSURE	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. Ny. N <mark>ZARD DATA</mark>	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU INHALATION	>200 No da No da Wate PROCEDURES:Use a p ting. tht conditions of heat an <u>SECTION V</u> RE LEVELS: NON DSURE May cause nasal irrita	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. My. AZARD DATA D ervous system depression or lung injury.	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPO	>200 No da No da Wate PROCEDURES:Use a p ting. ting. SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. Ny. N <mark>ZARD DATA</mark>	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU INHALATION EYES	>200 No da No da Wate PROCEDURES:Use a p ting. tht conditions of heat an SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus irreversible.	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical bur	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. Ny. N <mark>ZARD DATA</mark> D ervous system depression or lung injury. ns to eyes. Eye damage may be	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU INHALATION	>200 No da No da Wate FROCEDURES:Use a p ting. (ht conditions of heat an SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical bur ghly irritating to	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. My. AZARD DATA D ervous system depression or lung injury.	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU SKIN	>200 No da No da Wate PROCEDURES:Use a p ting. tht conditions of heat an SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus irreversible.	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical bur ghly irritating to	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. Ny. N <mark>ZARD DATA</mark> D ervous system depression or lung injury. ns to eyes. Eye damage may be	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU SKIN FIRST AID	>200 No da No da Wate FROCEDURES:Use a p ting. tht conditions of heat an SECTION V RE LEVELS: NON SURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis.	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. My. <b>ZARD DATA</b> D ervous system depression or lung injury. ns to eyes. Eye damage may be to the skin. Repeated contact may cause	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU SKIN FIRST AID EYES	>200 No da No da Wate FROCEDURES:Use a p ting. tht conditions of heat an SECTION V RE LEVELS: NON SURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d Flush with water for an	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis. t least 15 minu	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. My. <b>ZARD DATA</b> Dervous system depression or lung injury. Ins to eyes. Eye damage may be to the skin. Repeated contact may cause tes. <b>GET MEDICAL ATTENTION</b>	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU SKIN FIRST AID	>200 No da No da No da Wate FROCEDURES:Use a p ting. (ht conditions of heat an SECTION V RE LEVELS: NON SURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d Flush with water for at Wash thoroughly with	D <sup>o</sup> F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis. t least 15 minu water. Remove	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. bly. <b>ZARD DATA</b> D ervous system depression or lung injury. ns to eyes. Eye damage may be to the skin. Repeated contact may cause tes. <b>GET MEDICAL ATTENTION</b> e contaminated clothing and shoes. Wash	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU SKIN FIRST AID EYES	>200 No da No da No da Wate FROCEDURES:Use a p ting. SECTION V SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d Flush with water for at Wash thoroughly with clothing before re-use	D <sup>o</sup> F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis. t least 15 minu water. Remove	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. My. <b>ZARD DATA</b> Dervous system depression or lung injury. Ins to eyes. Eye damage may be to the skin. Repeated contact may cause tes. <b>GET MEDICAL ATTENTION</b>	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU INHALATION EYES SKIN FIRST AID EYES SKIN	>200 No da No da No da Wate PROCEDURES:Use a p ting. tht conditions of heat an SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d Flush with water for at Wash thoroughly with clothing before re-use occur.	D°F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis. t least 15 minu water. Remove . Get medical a	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. bly. <b>ZARD DATA</b> D ervous system depression or lung injury. ns to eyes. Eye damage may be to the skin. Repeated contact may cause tes. <b>GET MEDICAL ATTENTION</b> e contaminated clothing and shoes. Wash ttention if effects such as swelling or reddening	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU SKIN FIRST AID EYES	>200 No da No da No da No da Sections of heat an SECTION V RE LEVELS: NON SSURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d Flush with water for at Wash thoroughly with clothing before re-use occur. Remove to fresh air if	D <sup>o</sup> F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis. t least 15 minu water. Remove . Get medical a effects occur a	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. bly. <b>ZARD DATA</b> D ervous system depression or lung injury. ns to eyes. Eye damage may be to the skin. Repeated contact may cause tes. <b>GET MEDICAL ATTENTION</b> e contaminated clothing and shoes. Wash	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU INHALATION EYES SKIN INHALATION	>200 No da No da No da Wate PROCEDURES:Use a p ting. Sections of heat an SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d Flush with water for at Wash thoroughly with clothing before re-use occur. Remove to fresh air if MEDICAL ATTENTION.	D <sup>o</sup> F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis. t least 15 minu water. Remove . Get medical a effects occur a	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. by: <b>ZARD DATA</b> D ervous system depression or lung injury. ns to eyes. Eye damage may be to the skin. Repeated contact may cause tes. <b>GET MEDICAL ATTENTION</b> e contaminated clothing and shoes. Wash ttention if effects such as swelling or reddening and administer oxygen if necessary. <b>GET</b>	
LFL: UFL: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING Wear full protection coa Note: Will burn under rig PERMISSABLE EXPOSU EFFECTS OF OVER EXPOSU EFFECTS OF OVER EXPOSU INHALATION EYES SKIN FIRST AID EYES SKIN	>200 No da No da No da Wate PROCEDURES:Use a p ting. Sections of heat an SECTION V RE LEVELS: NON DSURE May cause nasal irrita This product can caus irreversible. May be corrosive or hi sensitization and/or d Flush with water for at Wash thoroughly with clothing before re-use occur. Remove to fresh air if MEDICAL ATTENTION.	D <sup>o</sup> F (Setaflash C ata ata er fog, Alcohol F ositive pressure nd oxygen supp - HEALTH HA E ESTABLISHEI tion, central ne e chemical burn ghly irritating to ermatitis. t least 15 minu water. Remove . Get medical a effects occur a	Closed Cup) Foam, CO <sub>2</sub> , Dry Chemical e, self-contained breathing apparatus. bly. <b>ZARD DATA</b> D ervous system depression or lung injury. ns to eyes. Eye damage may be to the skin. Repeated contact may cause tes. <b>GET MEDICAL ATTENTION</b> e contaminated clothing and shoes. Wash ttention if effects such as swelling or reddening	

#### **SECTION VI - REACTIVITY DATA STABILITY:** Stable under normal storage conditions. **INCOMPATIBILITY:** Avoid bringing into contact with strong oxidizing agents, and strong Lewis or Mineral acids. bases HAZARDOUS DECOMPOSITION PRODUCTS: CO (Carbon Monoxide) CO<sub>2</sub> (Carbon Monoxide) Acids Aldehydes **SECTION VII - SPILL OR LEAK PROCEDURE STEPS TO TAKE IF SPILLED:** Using adequate protective equipment, add dry material to absorb spill (if large spill, first dike to contain). Pick up and containerize. Flush area with dilute (5%) acetic acid. Collect rinsate for sewer or disposal. WASTE DISPOSAL: This product, if disposed as shipped, is a hazardous waste as specified in 40 CFR 261 on the basis of its corrosivity. Consult state or local officials for proper disposal method. SECTION VIII - SPECIAL PRECAUTION INFORMATION VENTILATION REQUIREMENTS Local, except if applied in confined spaces, where adequate respiratory protection is required. PERSONAL PROTECTIVE EQUIPMENT RECOMMENDED FOR NORMAL USE CONDITIONS: Eye protection: Chemical goggles. SKIN PROTECTION: Rubber or plastic gloves. **RESPIRATORY PROTECTION:** Respirator with organic vapor cartridge N/A with local exhaust. **SECTION IX - SPECIAL PRECAUTIONS** PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container tightly closed when not in use. Store in a dry location. **SECTION X - TRANSPORTATION DOT PROPER NAME:** Corrosive liquid, N.O.S. (Amine Mixture) DOT HAZARD CLASSIFICATION OR DIVISION: 8 INDENTIFICATION NUMBER: UN 1760 **PACKAGING GROUP:** Ш LABELS REQUIRED: Corrosive SECTION XI – REGULATORY INFORATION

WHMSIS CLASSIFICATION - Class E, Corrosive

THE INFORMATION HEREIN RELATES TO THE PRODUCT NAMED AND IS BASED UPON INFORMATION INTERNATIONAL COATINGS CONSIDERS TO BE ACCURATE. NO WARRANTY EXPRESSED OR IMPLIED IS INTENDED.