

PRODUCT NAME: **POLYMAX COLOR PACKS**

PAGE: 1

MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY ASSISTANCE

CHEM TEL: 1-800-225-3924

GENERAL ASSISTANCE

TELE-TECH: 405-755-8448

HEALTH: 0

HAZARD RATING

FIRE: 1

LEAST = 0

SLIGHT = 1

MODERATE = 2

REACTIVITY: 0

HIGH = 3

EXTREME = 4

SECTION I

PRODUCT: POLYMAX COLOR PACKS

CHEMICAL NAME: MIXTURE

PRODUCT DESCRIPTION: UNIVERSAL PIGMENT DISPERSION

SECTION II-A

PRODUCT / INGREDIENT

<u>NO.</u>	<u>COMPOSITION</u>	<u>CAS NUMBER</u>	<u>PERCENT</u>
1	PROPRIETARY PIGMENT	N/A	30-35

*BALANCE OF RAW MATERIALS ARE PROPRIETARY, NON-HAZARDOUS &/OR CONSTITUTE <1% OF THE TOTAL FORMULA WEIGHT.

SECTION III

HEALTH INFORMATION

INHALATION EFFECTS:

MAY CAUSE IRRITATION OF THE NOSE AND THROAT, HEADACHE, NAUSEA, AND DROWSINESS.

EYE CONTACT:

MAY CAUSE MINIMAL EYE IRRITATION.

SKIN CONTACT:

BRIEF CONTACT IS NOT IRRITATING. PROLONGED CONTACT MAY BE SEEN AS LOCAL REDNESS WITH MILD DISCOMFORT. ACUTE ADVERSE EFFECTS ARE NOT EXPECTED FROM BRIEF SKIN CONTACT.

ACUTE INGESTION:

ASPIRATION MAY OCCUR DURING SWALLOWING OR VOMITING RESULTING IN LUNG DAMAGE.

OTHER EFFECTS:

NONE KNOWN

SECTION IV

OCCUPATIONAL EXPOSURE LIMITS

OSHA		ACGIH		OTHER
No.	PEL/TWA	PEL/CEILING	TLV/TWA	TLV/STEL
1	NOT ESTABLISHED			

SECTION V

EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: FLUSH WITH PLENTY OF FRESH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

SKIN CONTACT: FLUSH WITH WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. FOLLOW BY WASHING WITH SOAP AND WATER. DO NOT REUSE CLOTHING OR SHOES UNTIL CLEANED. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

INHALATION: REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET MEDICAL ATTENTION. KEEP VICTIM WARM AND COMFORTABLE. NEVER GIVE AN UNCONSCIOUS PERSON LIQUIDS.

PAGE: 2

INGESTION: IF SWALLOWED, CALL PHYSICIAN IMMEDIATELY. ONLY INDUCE VOMITING ON INSTRUCTION OF PHYSICIAN. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO THE LUNGS. NEVER GIVE AN UNCONSCIOUS PERSON LIQUIDS.

SUPPLEMENTAL HEALTH INFORMATION

NONE

PHYSICAL DATA

BOILING POINT (°F): >390 F	SPECIFIC GRAVITY (H ₂ O = 1): 1.82
VAPOR PRESSURE (mm Hg @ 20°C): <.001	
SOLUBILITY (IN WATER): SLIGHTLY	
VAPOR DENSITY (AIR = 1): NOT DETERMINED	
EVAPORATION RATE (N-BUTYL ACETATE = 1): NOT DETERMINED	
APPEARANCE AND ODOR: POURABLE LIQUID	

FIRE AND EXPLOSION HAZARDS

FLASH POINT AND METHOD:	399 F (TCC)
LOWER EXPLOSIVE LIMIT:	NOT DETERMINED
UPPER EXPLOSIVE LIMIT:	NOT DETERMINED
EXTINGUISHING MEDIA:	FOAM, CO2, OR DRY CHEMICAL.
SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS: WATER MAY BE USED TO KEEP EXPOSED CONTAINERS COOL, AND TO KEEP FLAMMABLE STRUCTURES WET. DO NOT ENTER FIRE AREA WITHOUT PROPER PROTECTION.	

REACTIVITY

STABILITY:	STABLE
HAZARDOUS POLYMERIZATION:	DOES NOT OCCUR
CONDITIONS AND MATERIALS TO AVOID:	NONE KNOWN
HAZARDOUS DECOMPOSITION PRODUCTS:	CARBON MONOXIDE AND CARBON DIOXIDE. METAL OXIDE FUMES.

EMPLOYEE PROTECTION

RESPIRATORY PROTECTION:	PROPERLY FITTED NIOSH/M SHA APPROVED RESPIRATORS SHALL BE USED DURING APPLICATION UNLESS AIR MONITORING DEMONSTRATES VAPOR/MIST LEVELS ARE BELOW APPLICABLE LIMITS.
PROTECTIVE CLOTHING:	USE RUBBER GLOVES. WEAR APPROVED SAFETY GOGGLES.

ENVIRONMENTAL PROTECTION

WASTE DISPOSAL METHOD: DISPOSAL MUST BE IN ACCORDANCE WITH CURRENT LOCAL, STATE AND FEDERAL REGULATION. CONTACT AN APPROVED DISPOSAL FACILITY.

PRODUCT NAME: **POLYMAX COLOR PACKS**

PAGE: 3

SECTION XII**SPECIAL PRECAUTIONS**

GROUND ALL TRANSFER EQUIPMENT. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. HANDLE AS AN INDUSTRIAL CHEMICAL. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. PRACTICE GOOD CAUTION AND PERSONAL CLEANLINESS TO AVOID SKIN AND EYE CONTACT.

SECTION XIII**TRANSPORTATION REQUIREMENTS**

DEPARTMENT OF TRANSPORTATION CLASSIFICATION:

HAZARD CLASS:	DIOL/SYNERGIST BLEND
PACKING GROUP:	III
IDENTIFICATION NUMBER:	NRPAINT
LABEL REQUIRED:	NONE
D.O.T. PROPER SHIPPING NAME:	PAINT, NOT REGULATED

SECTION XIV**OTHER REGULATORY CONTROLS**

NOT MEANT TO BE ALL-INCLUSIVE. SELECTED REGULATIONS PRESENTED.

A.	SARA TITLE III SECTION 311/312 HAZARDS: ACUTE:	NO
	CHRONIC:	NO
	FLAMMABILITY:	NO
	REACTIVITY:	NO
	SUDDEN PRESSURE:	NO
B.	TSCA STATUS: LISTED ON TSCA INVENTORY	

SECTION XV**STATE REGULATORY INFORMATION**

NONE KNOWN

SECTION XVI**SPECIAL NOTES**

THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, MILAMAR COATINGS, INC. MAKES NO WARRANTY; EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. MILAMAR COATINGS, INC. ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

DATE PREPARED: OCTOBER 5, 2011

PREPARED BY: MILAMAR COATINGS, INC.
311 NW 122ND ST, STE 100
OKLAHOMA CITY, OK 73114